



产品编号：[731375003](#)

Product Description : BNC 50 Ohm, Right-Angle PCB Bulkhead Jack Receptacle, Panel Isolated, Black PBT Housing, Housing Height 13.20mm, Nut and Lockwasher included

系列号：[73137](#)

状态：Active

Product Category : RF / Coaxial Connectors



文件和资源

图纸

[图纸 731375003_sd.pdf](#)

3D 模型和设计文件

[3D模型 731375003_stp.zip](#)

产物环境合规

合规

GADSL/IMDS	Not Relevant
China RoHS	
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2-21
REACH SVHC	Contains Lead per D(2023)3788-DC (14 Jun 2023)
EU RoHS	Compliant with Exemption 6(c) per EU 2015/863

多部分产品合规性声明

- Eu RoHS
- REACH SVHC
- Low-Halogen

多部分行业合规性文件

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

产品详情

常规

状态	活动
类别	RF / Coaxial Connectors
系列	73137
说明	BNC 50 Ohm, Right-Angle PCB Bulkhead Jack Receptacle, Panel Isolated, Black PBT Housing, Housing Height 13.20mm, Nut and Lockwasher included
产品系列	BNC Miniature RF Connectors and Cable Assemblies
产品名称	BNC
类型	PCB
类型	Miniature
UPC	800753750258

机构

CSA	LR19980
UL	E107635

电气

频率	2 GHz
阻抗	50 Ω
电源/电压	VOLTAGE: 500 Vrms@Sea Level

物理

电缆附件	不适用
阻燃性	94V-0
性别	Jack
插接极性	无
净重	15.347/g
方向	Right Angle

包装形式	Tray
面板安装式	是
面板安装方法	Bulkhead
PCB安装	Through Hole
推荐的 PCB 厚度	3.20mm
导线/电缆型号	不适用

进程

最长持续时间	10
无铅	WAVE
最大周期	1
最高温度	245