# ANT-868-ID-2000-SMA <

TE Internal #: L9000151-01 Terminal/Duck Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Pole/Mast/Bracket Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi

View on TE.com >

Antennas

Wireless Application: LoRaWAN, LPWAN, Wi-Fi

Mounting Location: Remote

Mounting Type: Pole/Mast/Bracket Mount

Antenna Termination: SMA

Antenna Type: Terminal/Duck

## Features

## Product Type Features

Antenna Termination	SMA
Configuration Features	



Antenna Style	Dipole	
Mounting Location	Remote	
Antenna Type	Terminal/Duck	
Band Type	Single Band	
Port Configuration	Single Port	
Electrical Characteristics		
VSWR (Max)	<1.9:1	
Impedance	50 Ω	
Signal Characteristics		
Frequency Band	868 MHz	
Nominal Frequency Range	862 – 870	
Peak Gain	0 < 3 dBi	
Mechanical Attachment		
Polarization	Linear	
Mounting Type	Pole/Mast/Bracket Mount	

**C** For support call+1 800 522 6752

## ANT-868-ID-2000-SMA

Terminal/Duck Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Pole/Mast /Bracket Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



### Dimensions

Cable Length	2 m[6.56 ft]
Product Width	31.2 mm[1.23 in]
Product Length	124.6 mm[4.91 in]
Product Height	11.9 mm[.47 in]
Operation/Application	
Directionality	Omnidirectional
Industry Standards	
Wireless Application	LoRaWAN, LPWAN, Wi-Fi
Primary Application	LoRaWAN, LPWAN
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

(235) Not Yet Reviewed

Not Yet Reviewed for halogen content

Solder Process Capability

Halogen Content

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## **Compatible Parts**

## ANT-868-ID-2000-SMA

Terminal/Duck Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Pole/Mast /Bracket Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi





# Customers Also Bought



Antenna 1/4 Wave HD Whip 868MHz SMA	Antenna 1/2 Wave Whip Swivel 868MHz SMA	Antenna 1/4 Wave Whip 868MHz 1.32 UFL	Antenna Dome 868MHz 1.32 216 UFL

## Documents

TE Part #L9000160-01

RG58 2M RPS

ANTENNA IND DIPOLE 916MHZ

Product Drawings ANTENNA IND DIPOLE 868MHZ RG58 2M RPS

-ETE

English

# Datasheets & Catalog Pages Sub-6 Cellular LTE-5G NR Frequency Band Guide English ANT-868-ID

English

## ANT-868-ID-2000-SMA

Terminal/Duck Antenna, Single Band, LoRaWAN / LPWAN, Remote Mount, Pole/Mast /Bracket Mount, SMA, Omnidirectional, Single Port, Gain 0 < 3 dBi



Virtual Antenna

English

Microsplatch Ground Plane Optimization

English