


10	9	8	7	6	5	4	3	2	1																																																																																																																									
2 適合製品および各種仕様書 APPLICABLE PRODUCTS AND SPECIFICATIONS																																																																																																																																		
<table><tr><td rowspan="2">梱包仕様書 PACKING SPECIFICATION</td><td>PART NUMBER</td><td colspan="8">SPECIFICATION NUMBER</td></tr><tr><td>51021**00</td><td colspan="8">SPK-51021-001</td></tr></table>										梱包仕様書 PACKING SPECIFICATION	PART NUMBER	SPECIFICATION NUMBER								51021**00	SPK-51021-001																																																																																																													
梱包仕様書 PACKING SPECIFICATION	PART NUMBER	SPECIFICATION NUMBER																																																																																																																																
	51021**00	SPK-51021-001																																																																																																																																
<table><tr><td rowspan="7">適合端子 APPLICABLE TERMINAL</td><td>PART NUMBER</td><td colspan="3">PLATING TYPE</td><td colspan="4">WIRE SIZE (AWG)</td></tr><tr><td>500588*0*</td><td colspan="3">TIN</td><td colspan="4" rowspan="3">#28-32</td></tr><tr><td>500588200</td><td colspan="3">GOLD FLASH</td></tr><tr><td>500588025</td><td colspan="3">GOLD 0.38 MICROMETER</td></tr><tr><td>500798*0*</td><td colspan="3">TIN</td><td colspan="4" rowspan="3">#26-28</td></tr><tr><td>500798200</td><td colspan="3">GOLD FLASH</td></tr><tr><td>500798025</td><td colspan="3">GOLD 0.38 MICROMETER</td></tr></table>										適合端子 APPLICABLE TERMINAL	PART NUMBER	PLATING TYPE			WIRE SIZE (AWG)				500588*0*	TIN			#28-32				500588200	GOLD FLASH			500588025	GOLD 0.38 MICROMETER			500798*0*	TIN			#26-28				500798200	GOLD FLASH			500798025	GOLD 0.38 MICROMETER																																																																																		
適合端子 APPLICABLE TERMINAL	PART NUMBER	PLATING TYPE			WIRE SIZE (AWG)																																																																																																																													
	500588*0*	TIN			#28-32																																																																																																																													
	500588200	GOLD FLASH																																																																																																																																
	500588025	GOLD 0.38 MICROMETER																																																																																																																																
	500798*0*	TIN			#26-28																																																																																																																													
	500798200	GOLD FLASH																																																																																																																																
	500798025	GOLD 0.38 MICROMETER																																																																																																																																
TIN PLATING PRODUCTS:																																																																																																																																		
<table><tr><td colspan="2" rowspan="3">適合嵌合相手 MATE WITH</td><td colspan="3">SMT</td><td colspan="2">THROUGH HOLE</td><td colspan="3" rowspan="2">WIRE TO WIRE</td></tr><tr><td colspan="2">VERTICAL</td><td>RIGHT ANGLE</td><td>VERTICAL</td><td>RIGHT ANGLE</td></tr><tr><td colspan="2">TIN PLATING</td><td rowspan="2">TIN PLATING</td><td rowspan="2">TIN PLATING</td><td rowspan="2">TIN PLATING</td><td colspan="3" rowspan="2">TIN PLATING</td></tr><tr><td>WITH VACUUM CAP</td><td>WITHOUT VACUUM CAP</td></tr><tr><td colspan="2">シリーズ番号 PART NUMBER</td><td>53398**67</td><td>53398**71</td><td>53621**71</td><td>53047**10</td><td>53048**10</td><td colspan="3">51047**00</td></tr><tr><td rowspan="2">製品仕様書 PRODUCT SPECIFICATION</td><td>500588*00 TERMINAL 500798*00 TERMINAL</td><td>PS-51021-025</td><td colspan="2">PS-51021-024</td><td colspan="2">PS-51021-010</td><td colspan="3">PS-51021-009</td></tr><tr><td>500588001 TERMINAL 500798001 TERMINAL</td><td colspan="3">510211124-PS PS 000</td><td>510211110-PS PS 000</td><td>510211111-PS PS 000</td><td colspan="3">510211109-PS PS 000</td></tr><tr><td colspan="2">アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION</td><td colspan="5">510210000-AS</td><td colspan="3">510210001-AS</td></tr></table>										適合嵌合相手 MATE WITH		SMT			THROUGH HOLE		WIRE TO WIRE			VERTICAL		RIGHT ANGLE	VERTICAL	RIGHT ANGLE	TIN PLATING		TIN PLATING	TIN PLATING	TIN PLATING	TIN PLATING			WITH VACUUM CAP	WITHOUT VACUUM CAP	シリーズ番号 PART NUMBER		53398**67	53398**71	53621**71	53047**10	53048**10	51047**00			製品仕様書 PRODUCT SPECIFICATION	500588*00 TERMINAL 500798*00 TERMINAL	PS-51021-025	PS-51021-024		PS-51021-010		PS-51021-009			500588001 TERMINAL 500798001 TERMINAL	510211124-PS PS 000			510211110-PS PS 000	510211111-PS PS 000	510211109-PS PS 000			アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION		510210000-AS					510210001-AS																																																											
適合嵌合相手 MATE WITH		SMT			THROUGH HOLE		WIRE TO WIRE																																																																																																																											
		VERTICAL		RIGHT ANGLE	VERTICAL	RIGHT ANGLE																																																																																																																												
		TIN PLATING		TIN PLATING	TIN PLATING	TIN PLATING	TIN PLATING																																																																																																																											
WITH VACUUM CAP	WITHOUT VACUUM CAP																																																																																																																																	
シリーズ番号 PART NUMBER		53398**67	53398**71	53621**71	53047**10	53048**10	51047**00																																																																																																																											
製品仕様書 PRODUCT SPECIFICATION	500588*00 TERMINAL 500798*00 TERMINAL	PS-51021-025	PS-51021-024		PS-51021-010		PS-51021-009																																																																																																																											
	500588001 TERMINAL 500798001 TERMINAL	510211124-PS PS 000			510211110-PS PS 000	510211111-PS PS 000	510211109-PS PS 000																																																																																																																											
アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION		510210000-AS					510210001-AS																																																																																																																											
GOLD PLATING PRODUCTS:																																																																																																																																		
<table><tr><td colspan="2" rowspan="3">適合嵌合相手 MATE WITH</td><td colspan="4">SMT</td><td colspan="4">THROUGH HOLE</td></tr><tr><td colspan="2">VERTICAL</td><td colspan="2">RIGHT ANGLE</td><td colspan="2">VERTICAL</td><td colspan="2">RIGHT ANGLE</td></tr><tr><td colspan="2">GOLD PLATING</td><td colspan="2">GOLD PLATING</td><td colspan="2">GOLD PLATING</td><td colspan="2">GOLD PLATING</td></tr><tr><td colspan="2"></td><td>FLASH</td><td>0.38 MICROMETER</td><td>FLASH</td><td>0.38 MICROMETER</td><td>FLASH</td><td>0.38</td><td>FLASH</td><td>0.38</td></tr><tr><td colspan="2">シリーズ番号 PART NUMBER</td><td>5339840**</td><td>5339850**</td><td>5326140**</td><td>5362170**</td><td>53047**60</td><td>53047**70</td><td>53048**60</td><td>53048**50</td></tr><tr><td rowspan="2">製品仕様書 PRODUCT SPECIFICATION</td><td>500588020 TERMINAL 500798020 TERMINAL 500588025 TERMINAL 500798025 TERMINAL</td><td colspan="4">510210001-PS 000</td><td colspan="2">510210006-PS 000</td><td colspan="2">510210000-PS 000</td></tr><tr><td>アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION</td><td colspan="8">510210000-AS</td></tr></table>										適合嵌合相手 MATE WITH		SMT				THROUGH HOLE				VERTICAL		RIGHT ANGLE		VERTICAL		RIGHT ANGLE		GOLD PLATING		GOLD PLATING		GOLD PLATING		GOLD PLATING				FLASH	0.38 MICROMETER	FLASH	0.38 MICROMETER	FLASH	0.38	FLASH	0.38	シリーズ番号 PART NUMBER		5339840**	5339850**	5326140**	5362170**	53047**60	53047**70	53048**60	53048**50	製品仕様書 PRODUCT SPECIFICATION	500588020 TERMINAL 500798020 TERMINAL 500588025 TERMINAL 500798025 TERMINAL	510210001-PS 000				510210006-PS 000		510210000-PS 000		アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION	510210000-AS																																																															
適合嵌合相手 MATE WITH		SMT				THROUGH HOLE																																																																																																																												
		VERTICAL		RIGHT ANGLE		VERTICAL		RIGHT ANGLE																																																																																																																										
		GOLD PLATING		GOLD PLATING		GOLD PLATING		GOLD PLATING																																																																																																																										
		FLASH	0.38 MICROMETER	FLASH	0.38 MICROMETER	FLASH	0.38	FLASH	0.38																																																																																																																									
シリーズ番号 PART NUMBER		5339840**	5339850**	5326140**	5362170**	53047**60	53047**70	53048**60	53048**50																																																																																																																									
製品仕様書 PRODUCT SPECIFICATION	500588020 TERMINAL 500798020 TERMINAL 500588025 TERMINAL 500798025 TERMINAL	510210001-PS 000				510210006-PS 000		510210000-PS 000																																																																																																																										
	アプリケーション仕様書 (取扱説明書) APPLICATION SPECIFICATION	510210000-AS																																																																																																																																
製品嵌合図は各嵌合相手図面参照のこと MATING VIEW: REFER TO EACH "MATE WITH" PART DRAWING.																																																																																																																																		
<table><tr><td rowspan="12">FUNCTIONAL SYMBOLS</td><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td rowspan="3">DIVISIONAL SYMBOLS</td><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="3">CURRENT REV DESC: REVISED</td><td colspan="4" rowspan="4"> molex PICOBLADE 1.25 RECEPTACLE HOUSING PRODUCT CUSTOMER DRAWING </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td colspan="2">ANGULAR TOL</td><td>±</td><td>3.0 °</td><td colspan="2">EC NO: 698818</td><td colspan="2">2022/02/16</td></tr><tr><td colspan="2">4 PLACES</td><td>±</td><td>0.2</td><td colspan="2">DRWN: HHUSSIN</td><td colspan="2">2022/04/19</td></tr><tr><td colspan="2">3 PLACES</td><td>±</td><td>0.2</td><td colspan="2">CHK'D: SAKIYAMA</td><td colspan="2">2022/04/19</td></tr><tr><td colspan="2">2 PLACES</td><td>±</td><td>0.2</td><td colspan="2">APPR: AIDA</td><td colspan="2">2022/04/19</td></tr><tr><td colspan="2">1 PLACE</td><td>±</td><td>0.2</td><td colspan="4">INITIAL REVISION:</td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2">0 PLACES</td><td>±</td><td>0.2</td><td colspan="4">DRWN: QHE31</td><td colspan="2">2021/12/15</td><td colspan="2">510210000-SD</td><td>PSD</td><td>000</td><td>B</td></tr><tr><td colspan="2"></td><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td colspan="2">SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="4"></td><td colspan="2"></td><td>A3-SIZE</td><td>51021</td><td colspan="2">SEE CHART</td><td colspan="2">GENERAL MARKET</td><td colspan="2">2 OF 2</td></tr></table>										FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIVISIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex PICOBLADE 1.25 RECEPTACLE HOUSING PRODUCT CUSTOMER DRAWING				mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)		ANGULAR TOL		±	3.0 °	EC NO: 698818		2022/02/16		4 PLACES		±	0.2	DRWN: HHUSSIN		2022/04/19		3 PLACES		±	0.2	CHK'D: SAKIYAMA		2022/04/19		2 PLACES		±	0.2	APPR: AIDA		2022/04/19		1 PLACE		±	0.2	INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	0 PLACES		±	0.2	DRWN: QHE31				2021/12/15		510210000-SD		PSD	000	B			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER										A3-SIZE	51021	SEE CHART		GENERAL MARKET		2 OF 2	
FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																	
	DIVISIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED					molex PICOBLADE 1.25 RECEPTACLE HOUSING PRODUCT CUSTOMER DRAWING																																																																																																																							
		mm		NTS																																																																																																																														
		GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																
	ANGULAR TOL		±	3.0 °	EC NO: 698818		2022/02/16																																																																																																																											
	4 PLACES		±	0.2	DRWN: HHUSSIN		2022/04/19																																																																																																																											
	3 PLACES		±	0.2	CHK'D: SAKIYAMA		2022/04/19																																																																																																																											
	2 PLACES		±	0.2	APPR: AIDA		2022/04/19																																																																																																																											
	1 PLACE		±	0.2	INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																																					
	0 PLACES		±	0.2	DRWN: QHE31				2021/12/15		510210000-SD		PSD	000	B																																																																																																																			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER																																																																																																																			
									A3-SIZE	51021	SEE CHART		GENERAL MARKET		2 OF 2																																																																																																																			
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2022/04/19</td><td>08:41:20</td></tr></table>										DOCUMENT STATUS	P1	RELEASE DATE	2022/04/19	08:41:20																																																																																																																				
DOCUMENT STATUS	P1	RELEASE DATE	2022/04/19	08:41:20																																																																																																																														
10	9	8	7	6	5	4	3	2	1																																																																																																																									



53261-****	WAFER ASSY	MODEL NO./MATERIAL NO.
50079-****	TERMINAL	
51021-****	HOUSING	

RELEASED EC NO: J2006-2426 DRWN:YAOYAGI 2006/02/02 CHKD:YMAEDA 2006/02/03 APPR:NUKITA 2006/02/07 REV 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± ---	Y.AOYAGI	2006/01/30	TITLE 1.25 W-TO-B CONN. 51021,53261 MATING CROSS SECTION				
		10 OVER 30 UNDER	± ---	Y.MAEDA	2006/01/30					
		30 OVER	± ---	N.UKITA	2006/01/30	MOLEX INCORPORATED				
		ANGULAR ±--- °		MATERIAL NO.			DOCUMENT NO.			SHEET NO.
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART			SD-51021-002			1 OF 1
	REV			SIZE A3			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			